

A Checklist

of

Heard Sanctuary

BIRDS



Introduction

The Heard Natural Science Museum and Wildlife Sanctuary is a 289-acre wildlife conservancy located in the Blackland Prairie Ecological Region of central Collin County. It contains four different habitats. Along Wilson's Creek many acres of riparian vegetation ranging from early to late succession make excellent habitat for woodland birds. A 50-acre wetlands complex, located in the floodplain, is also found within our borders. It seasonally hosts a large number of migratory waterfowl, shorebirds and a rookery with as many as seven species. As the topography rises through the sanctuary from east to west, the habitat changes into restored tallgrass prairie. The Heard has nearly 60 acres of this endangered habitat. When the land reaches 75 to 80 feet above the flood plain, Austin Chalk outcroppings of Cretaceous limestone, commonly called escarpments, appear within the sanctuary. The diversity and health of the different habitats creates the perfect opportunity to observe a high number of bird species, both resident and migrant. There have been 222 bird species observed at the Heard and 61 species have been documented nesting here.

The Heard has a long history of bird conservation dating back to its founding in 1967. Bird banding, providing nest boxes, filming nest box activity, Christmas bird counts and habitat improvement have been part of the sanctuary's mission from its beginning. In August of 2000 the sanctuary was selected as an Important Bird Area (IBA). The IBAs are considered key sites for bird conservation. Several of the birds on the ABC's green list nest at the Heard

Records from bird banding, nest box monitoring, migration census reports, historic sanctuary manager notes and Christmas bird counts have been used to create this updated bird checklist. The census reports are stored at ebird.org. The checklist order followed is that of the American Ornithologist's Union's Check-list of North American Birds, Seventh Edition.

LEGEND

Nests in the sanctuary

SP March, April, May SU June and July

F August, September, October, November

W December, January, February

A Abundant; this species seen or heard 70% or more of the time

C Common; seen or heard 45% to 69% of the time

U Uncommon; seen or heard 20% to 44% of the time

O Occasionally: seen or heard 19% or less of the time annually

R Rare; Not seen annually, but every 2 to 3 years

X Accidental; once or twice a decade

	SP	SU	F	W	LOCATION
Greater White-fronted Goose				X	Flyover
Snow Goose			0	X	Flyover
*Canada Goose	Α	0	0	С	Pond
*Wood Duck	Α	С	C	Α	Pond/Swamp
Gadwall	0		0	С	Pond
American Wigeon	R		0	R	Pond
Mallard	С	0	U	Α	Pond
Blue-winged Teal	С		0	0	Pond
Cinnamon Teal	X				Pond
Northern Shoveler	U		0	С	Pond
Northern Pintail				R	Pond
Green-winged Teal	0		0	0	Pond
Canvasback				Х	Pond
Redhead	R			X	Pond
Ring-necked Duck	0		0	0	Pond
Greater Scaup				X	Pond
Lesser Scaup				0	Pond
Bufflehead				X	Pond
*Hooded Merganser	С	0	0	С	Pond/Swamp
Pied-billed Grebe	U			0	Pond
American White Pelican			Х	X	Flyover
Neotropic Cormorant		R	X		Flyover
Double-crested Cormorant	С		U	Α	Pond
*Anhinga	С	С			Pond
*Great Blue Heron	Α	Α	С	Α	Pond/Swamp
*Great Egret	Α	Α	U	0	Pond/Swamp
*Snowy Egret	U	Α	0		Pond/Swamp
_*Little Blue Heron	U	Α	0		Pond/Swamp
Tricoloered Heron	Х	X			Pond/Swamp
*Cattle Egret	U	Α	0		Pond/Swamp
*Green Heron	U	Α	0		Pond/Swamp
*Black-crowned Night-Heron	R	C	0		Swamp
*Yellow-crowned Night-Heron	U	Α	0	Х	Swamp

	SP	SU	F	W	LOCATION
White Ibis		U			Swamp
White-faced Ibis	X				Swamp
Wood Stork		X			Swamp
*Black Vulture	Α	Α	С	Α	Forest Edge/Swamp
*Turkey Vulture	Α	Α	Α	Α	Forest Edge/Swamp
Mississippi Kite	0	X	0		Forest Edge
Bald Eagle				X	Flyover
Northern Harrier	R		0	0	Prairie
Sharp-shinned Hawk	0		0	0	Forest
*Cooper's Hawk	U	С	U	U	Forest
*Red-shouldered Hawk	Α	Α	Α	Α	Forest
Broad-winged Hawk	R		0		Flyover
Swainson's Hawk	0	0	0		Flyover/Prairie
*Red-tailed Hawk	С	0	С	С	Flyover/Prairie
American Kestrel	R		U	U	Forest Edge/Swamp
Peregrine Falcon	X				Flyover
Sandhill Crane			Х		Flyover
American Coot	U			0	Pond/Swamp
*Killdeer	Α	Α	Α	Α	Mudflats
Spotted Sandpiper	U	R	0	Х	Mudflats
Solitary Sandpiper	X				Mudflats
Greater Yellowlegs	0			R	Mudflats
Lesser Yellowlegs	0		0	R	Mudflats
Upland Sandpiper	0		0		Flyover
Semipalmated Sandpiper	R				Mudflats
Least Sandpiper	0				Mudflats
Baird's Sandpiper	R				Mudflats
Pectoral Sandpiper	R				Mudflats
Long-billed Dowitcher	0				Mudflats
Wilson's Snipe	R			R	Mudflats
American Woodcock	R		Х	R	Forest Edge
Franklin's Gull	U		0		Flyover
Ring-billed Gull	0		0	Α	Flyover
Herring Gull				Х	Flyover

	SP	SU	F	W	LOCATION
Rock Pigeon	U	U	Α	0	Flyover
Eurasian Collared-Dove		X	Х		Prairie
*White-winged Dove	R	U	U		Forest Edge
*Mourning Dove	Α	Α	Α	Α	Forest Edge
Inca Dove	Х				Garden
*Yellow-billed Cuckoo	U	Α	U		Forest
Black-billed Cuckoo			Х		Forest
*Greater Roadrunner	0	0	0	0	Prairie
Barn Owl			Х		Prairie
*Eastern Screech Owl	U	0	0	0	Forest
Great Horned Owl				R	Forest
*Barred Owl	С	0	0	0	Forest
Common Nighthawk	R	R			Flyover
Chuck-will's-widow	Х				Flyover
Chimney Swift	С	Α	С		Flyover
*Ruby-throated Hummingbird	С	Α	U		Garden
*Black-chinned Hummingbird	U	0	0		Garden
Rufous Hummingbird		Х			Garden
Belted Kingfisher	U	U	С	U	Swamp/Pond
*Red-headed Woodpecker	Α	Α	Α	R	Forest/Swamp
*Red-bellied Woodpecker	Α	Α	Α	Α	Forest/Forest Edge
Yellow-bellied Sapsucker	0		U	Α	Forest
*Downy Woodpecker	Α	Α	Α	Α	Forest
*Hairy Woodpecker	0	0	U	0	Forest
Northern Flicker	0		С	Α	Forest/Prairie
Pileated Woodpecker	0		Х	Х	Forest
Olive-sided Flycatcher	R		0		Forest Edge
*Eastern Wood Pewee	U	0	0		Forest Edge
Yellow-bellied Flycatcher	R	Х	0		Swamp
Acadian Flycatcher	Х		Х		Forest
Alder Flycatcher	U		U		Swamp
Willow Flycatcher	U		U		Swamp
Least Flycatcher	С	Х	С		Swamp

	SP	SU	F	W	LOCATION
*Eastern Phoebe	С	Α	Α	Α	Forest Edge/Swamp
_*Great Crested Flycatcher	С	Α	0		Forest
*Western Flycatcher	U	С	0		Prairie
*Eastern Kingbird	С	С	U		Prairie
*Scissor-tailed Flycatcher	С	Α	С		Forest Edge
*Loggerhead Shrike	U	0	U	R	Prairie
*White-eyed Vireo	Α	Α	С		Forest Edge
Bell's Vireo	0		0		Forest Edge
Blue-headed Vireo	U		0		Forest Edge
Warbling Vireo	U		0		Forest Edge
Philadelphia Vireo	0				Forest Edge
*Red-eyed Vireo	С	Α	0		Forest
*Blue Jay	Α	Α	Α	Α	Forest Edge
*American Crow	Α	Α	Α	Α	Forest Edge
Horned Lark				Х	Prairie
*Purple Martin	С	Α	0		Flyover/Swamp
Tree Swallow	Х				Pond
Northern Rough-winged Swallow	0	R	0		Pond
Bank Swallow			Х		Pond
Cliff Swallow	0	0	0		Pond
Barn Swallow	С	Α	U		Pond
*Carolina Chickadee	Α	Α	Α	Α	Forest
*Tufted Titmouse	Α	Α	Α	Α	Forest
Red-breasted Nuthatch			Х	X	Forest
*White-breasted Nuthatch	0	R	0	0	Forest
Brown Creeper	0		U	С	Forest/Swamp
*Carolina Wren	Α	Α	Α	Α	Forest Edge
Bewick's Wren	Х		0	Х	Forest Edge
House Wren	С		С	X	Forest Edge
Winter Wren	Х		U	С	Swamp
Sedge Wren	Х		Х	X	Swamp
Marsh Wren	Х				Swamp
Golden-crowned Kinglet	R		U	С	Forest

	SP	SU	F	W	LOCATION
Ruby-crowned Kinglet	Α		С	Α	Forest
*Blue-gray Gnatcatcher	С	Α	U		Forest Edge
*Eastern Bluebird	Α	Α	Α	Α	Prairie
Veery	R				Forest
Gray-cheeked Thrush	0		Х		Forest
Swainson's Thrush	С	Х	Х		Forest
Hermit Thrush	U		U	С	Forest
Wood Thrush	R				Forest
American Robin	U	0	С	Α	Everywhere
Gray Catbird	С		0		Forest Edge
*Northern Mockingbird	Α	Α	Α	Α	Forest Edge
Brown Thrasher	С		С	Α	Forest Edge
*European Starling	Α	Α	Α	Α	Swamp
American Pipit				R	Swamp
Cedar Waxwing	С			С	Forest
Blue-winged Warbler	Х				Willows
Golden-winged Warbler	X				Willows
Tennessee Warbler	0		Х		Willows
Orange-crowned Warbler	С		U	U	Forest Edge
Nashville Warbler	С		U		Willows
*Northern Parula	С	С			Forest
Yellow Warbler	С		0		Willows
Chestnut-sided Warbler	0				Willows
Magnolia Warbler	U				Willows
Cape May Warbler	Х				Willows
Yellow-rumped Warbler	Α		U	Α	Forest
Black-throated Green Warbler	0		0		Willows
Blackburnian Warbler	0				Willows
Pine Warbler			Х	0	Forest/Prairie
Prairie Warbler			Х		Prairie
Bay-breasted Warbler	0				Willows
Blackpoll Warbler	R				Swamp
Black-and-white Warbler	U	0	0		Forest

	SP	SU	F	W	LOCATION
American Redstart	U		0		Swamp
*Prothonotary Warbler	Α	Α	0		Swamp/Willows
Worm-eating Warbler			Х		Willows
Swainson's Warbler	X				Willows
Ovenbird	U		0		Forest
Northern Waterthrush	U		R		Swamp/Pond
Louisiana Waterthrush	R	0			Swamp/Pond
Kentucky Warbler	X		Х		Swamp
Mourning Warbler	U	Х	U		Forest
Common Yellowthroat	C	R	U		Pond
Hooded Warbler	X				Forest
Wilson's Warbler	С		C		Swamp
Canada Warbler	R		Х		Swamp
Yellow-breasted Chat	0		0		Swamp
Summer Tanager	R		Х		Forest Edge
Scarlet Tanager	X				Forest Edge
Spotted Towhee	Х		0	0	Forest Edge
Eastern Towhee	R		R	0	Forest Edge
Chipping Sparrow	U		U	R	Forest Edge
Clay-colored Sparrow	0		0		Prairie
Field Sparrow	U		U	С	Prairie
Vesper Sparrow			Х		Forest Edge
*Lark Sparrow	U	С	0	Х	Prairie
Savannah Sparrow	0		0	U	Prairie
Grasshopper Sparrow	X		Х		Prairie
Henslow's Sparrow	Х				Prairie
LeConte's Sparrow	X		0	0	Prairie
Fox Sparrow	0		U	Α	Forest Edge
Song Sparrow	U		U	Α	Prairie
Lincoln's Sparrow	Α		С	С	Prairie
Swamp Sparrow	U		U	С	Swamp
White-throated Sparrow	Α		U	Α	Forest Edge
Harris's Sparrow	U		0	С	Forest Edge

	SP	SU	r	W	LOCATION
White-crowned Sparrow	U		U	С	Forest Edge
Dark-eyed Junco	0		U	С	Forest Edge
*Northern Cardinal	Α	Α	Α	Α	Forest Edge
Rose-breasted Grosbeak	0				Forest
Blue Grosbeak	0		0		Prairie
Lazuli Bunting	Х				Willows
*Indigo Bunting	С	Α	С		Forest Edge
*Painted Bunting	С	Α	0		Prairie
Dickcissel	U	0	0		Prairie
*Red-winged Blackbird	Α	С	С	Α	Swamp
Eastern Meadowlark	0		0	R	Prairie
Yellow-headed Blackbird	R				Swamp
Rusty Blackbird	X		R	С	Swamp
Brewer's Blackbird				X	Prairie
*Common Grackle	С	С	С	0	Prairie/Swamp
Great-tailed Grackle	Α	С	С	С	Flyover
*Brown-headed Cowbird	Α	Α	С	0	Forest Edge
Orchard Oriole	U	0	0		Swamp
Baltimore Oriole	U		0		Swamp
Purple Finch				Х	Forest Edge
*House Finch	U	С	С	Α	Forest Edge
Pine Siskin			R	R	Forest Edge
American Goldfinch	U		U	Α	Forest Edge
*House Sparrow	С	Α	0	U	Prairie
					B : 1000F

OD OH E W

LOCATION

Revised 2007

What do I do if I sight a bird not on the checklist or one considered accidental, rare or uncommon?

Report it immediately to the front and ask for someone from the wildlife sanctuary department or e-mail your sighting to the wildlife sanctuary department supervisor using the contact information on the website.

Birds Historically Seen In the Sanctuary

Ruddy Duck
Common Goldeneye
Northern Bobwhite
Eared Grebe
American Bittern
Rough-legged Hawk
Merlin
Sora

Common Moorhen
American Golden-Plover
Bonaparte's Gull
Forster's Tern
Short-eared Owl
Broad-billed Hummingbird
Lapland Longspur

Bird Related Activities at the Heard

The bird banding station, established in 1978, is the longest continuously operated station in Texas. The banders tag between 700 and 1,200 birds annually. The data is then sent to the USGS Patuxent Wildlife Research Center, the Institute for Bird Populations, Center for Tropical Research, and the Landbird Migration Monitoring Network of Americas for use by researchers.

Bird houses for bluebirds and purple martins have always been present. However it wasn't until the 1980s that a consistent and systematic upkeep and monitoring of the nest boxes began. The Heard now has 44 nest boxes and a team of volunteers that monitor and tend them. One of the recent successes of the nest box program has been the attraction of the Prothonotary Warblers. Thanks to hatching success, the Heard now has close to 20 nesting pairs.

To learn more about volunteering for any of the bird related projects, call the Heard's front desk at 972-562-5566 or go to heardmuseum.org.

Thank You

Migration Census - Georgette Guernsey, Master Naturalist

Nest Box Camera - Loney Duncan and Jennifer Maxwell


Bird Banding – Ron Cook; Linda Ergonis; Tom Heath; Jennifer Maxwell; Betty Parker; Sandy Polcyn; Leslie, Emily, and Caroline Stanton; Karen White; and Judy Woods

Nest Box Monitoring - Sandy Campbell and Dianne Stricker

Thank you everyone and to all of those not mentioned who in the past contributed so much.

Special recognition goes to Prairie and Timber Audubon Society for providing funds to publish this checklist.





Great Egret





Green Heron









Bird Banding

Nest Box Monitoring &



1 Nature Place, McKinney, TX 75069

heardmuseum.org

